

MSDS 7605[Print](#)[Go Back](#)[All MSDS](#)[7585: Air Tool Oil 4 Oz Bottle \[4\]](#)[7605: Air Tool Oil Quart \[1\]](#)

MSDS Last updated: 12/05/2011

March 1, 2010

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Marvel Air Tool Oil
PRODCUT CODE	MM080, MM085, MM85R, MM086, MM088R, MM089 MM, MM85R1
CHEMICAL FAMILY	Petroleum Distillates
CHEMICAL NAME	Complex Mixture of Hydrocarbons
FORMULA	Mixture
MANUFACTURER	EMERGENCY TELEPHONE NUMBERS
Marvel Oil Company, Inc	Transportation:
625 Willowbrook Centre	CHEMTREC: 800-424-9300
Parkway	Medical:
Willowbrook, IL 60527	ROCKY MTN POISON CTR: 800-332-3073
Phone: 630-455-3866	
Fax: 630-455-3868	

2. POSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	CONCENTRATION (wt%)
Naphthenic Hydrocarbons	64742-52-5	70-80
Mineral Spirits	08052-41-3	20-30
Chlorinated Hydrocarbons	00095-50-1	0-1
EXPOSURE LIMITS 8 hrs. TWA (ppm)		
	OSHA PEL	ACGIH TLV
Naphthenic Hydrocarbons	5 as oil mist	5 as oil mist
Mineral Spirits	100	100
Chlorinated Hydrocarbons	25	25

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

INHALATION: Can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and even asphyxiation.

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs can cause pneumonitis which can be fatal.

SKIN CONTACT: Prolonged or repeated contact can cause moderated irritation, defatting or dermatitis.

EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

4. FIRST AID MEASURES

EYE: Flush with large amounts of water, lifting upper and lower eyelids occasionally. Get medical attention.

SKIN: Thoroughly was exposed area with soap and water. Remove contaminated clothing. Launder before re-use.

INHALATION: Remove person to fresh air. If breathing difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm and quiet. Call a physician.

INGESTION: Do not induce vomiting. Keep person quiet and warm. Get medical attention. Aspiration of material into lungs can cause chemical pneumonitis which can be fatal.

5. FIRE FIGHTING MEASURES

FLASH POINT: 128 ° F (53 ° C) TCC

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full facepiece operated with positive pressure-demand when fighting large fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Ventilate area. Remove sources of ignition. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Absorb small amounts on inert material for disposal.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE (MIN./MAX.): -40°F (-40°C)/ 120° F (49 C)

SHELF LIFE: 7-10 years minimum when the original container is kept tightly closed and properly stored.

SPECIAL SENSITIVITY: None.

HANDLING AND STORAGE PRECAUTIONS: Empty containers may be dangerous since fumes may still exist. Observe precautions given for this product as stated in this document.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION REQUIREMENTS: Splash goggles

SKIN PROTECTION REQUIREMENTS: Wear chemically resistant gloves.

RESPIRATOR/VENTILATION REQUIREMENTS: Provide sufficient ventilation to avoid exposure levels above the established TLV's.

EXPOSURE LIMITS: Not established for product as whole.

Mineral Spirits	NIOSH	100 ppm TWA
Oil Mist	OSHA	5 mg/m ³

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM:	Thin liquid
COLOR:	Red
ODOR:	Petroleum
BOILING POINT:	Not determined
MELT/FREEZE POINT:	-60° F (-51°C)
PH:	Not applicable
SOLUBILITY IN WATER:	Insoluble
SPECIFIC GRAVITY:	0.876 @ 60°F (15.6 °C)
% VOLATILE BY WEIGHT:	25%
VAPOR PRESSURE:	Not determined
VAPOR DENSITY:	Not determined

10. REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Strong oxidizing agents.

DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and hydrocarbons.

11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION: Aspiration into lungs can cause pneumonitis which can be fatal.

CHRONIC INHALATION: Not determined.

ACUTE SKIN CONTACT: Prolonged or repeated contact can cause moderate irritation, defatting or dermatitis.

CHRONIC SKIN CONTACT: Not determined.

ACUTE EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Ignitable hazardous waste, EPA Hazardous Waste Number D001

WASTE DISPOSAL METHOD: Dispose of product in accordance with all local, state and federal laws and regulations.

14. TRANSPORT INFORMATION

DOT INFORMATION:

PROPER SHIPPING NAME:	Non Bulk	Not regulated
	Bulk	Petroleum distillates, n.o.s
TECHNICAL SHIPPING NAME:		Fuel and oil additive
HAZARD CLASS:	Non Bulk	ORM-D
	Bulk	Class 3
UN NUMBER:		UN 1268
PRODUCT RQ (lbs):		None
LABEL:	Non Bulk	ORM-D
	Bulk	Flammable Liquid
PLACARD:	Non Bulk	None
	Bulk	Flammable Liquid
FREIGHT CLASS BULK:		PG III
FREIGHT CLASS PACKAGE:		None
PRODUCT LABEL		None

15. REGULATORY INFORMATION

TSCA STATUS: All ingredients listed.

CERCLA REPORTABLE: None

QUANTITY:

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES
SECTION 311/312 HAZARD CATEGORIES

Acute Health Yes
Chronic Health Yes
Fire Yes
Reactive No
Sudden Release of Pressure No

SECTION 313

CHEMICAL NAME	CAS NUMBER	CONCENTRATION
Ortho-dichlorobenzene	00095-50-1	0-0.25%

RCRA STATUS: If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

CANADIAN STATUS: All materials contained in this product are listed on the Canadian Domestic Substances List.

EUROPEAN UNION: All materials contained in this product are listed on EINECS.
STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

COMPONENT/CAS NUMBER	CONCENTRATION	STATE CODE
p-dichlorobenzene 00106-46-7	less than 150 ppm	CA

CA = Material known to the state of California to cause cancer and/or birth defects, (California Proposition 65).

16. OTHER INFORMATION

HMIS CLASSIFICATION:

Health 2
Flammability 2
Reactivity 0
PPI B
Health 2
Fire 2
Reactivity 0
Special None

NFPA RATING

REASON FOR ISSUE

PREPARED BY

TITLE

APPROVAL DATE

SUPERCEDES DATE

REVISION NUMBER

Shelf Life Up-Date
James P. Heidel
Technical Director, R&D
November 15, 2010
March 1, 2010
#09

The information is to the best of Marvel Oil Company's knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

The information contained in this MSDS was obtained from current and reliable sources, however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of Imperial Supplies LLC, Imperial will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this MSDS shall be created or inferred by any statement in this MSDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.