

Product Name	Tri-Pow'r HD (4371-88)		
CAS #	Mixture		
Product use	Heavy Duty Cleaner/Degreaser		
Manufacturer	Nu-Calgon 2008 Altom Court St. Louis, MO 63146 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMTREC)		
	2. Hazards Identification		
Emergency overview	DANGER CAUSES EYE BURNS. CAUSES SKIN BURNS.		
Potential short term health effects			
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.		
Eyes	Causes chemical burns. May cause blindness.		
Skin	Causes chemical burns. Harmful contact may not cause immediate pain.		
Inhalation	May cause respiratory tract irritation or chemical burns.		
Ingestion	Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.		
Target organs	Eyes. Respiratory system. Skin.		
Chronic effects	Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.		
Signs and symptoms	The product causes burns of eyes, skin and mucous membranes.		
OSHA Regulatory Status	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
Potential environmental effects	Components of this product have been identified as having potential environmental concerns.		

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Potassium hydroxide	1310-58-3	3 - 7
Silicic acid, sodium salt	1344-09-8	3 - 7
Alkyl polyglycoside	110615-47-9	1 - 5
Sodium carbonate	497-19-8	1 - 5

4. First Aid Measures		
First aid procedures		
Eye contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.	
Skin contact	Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well before reuse. Obtain medical advice immediately.	
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.	
Ingestion	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.	
Notes to physician	Treat patient symptomatically.	
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.	

5. Fire Fighting Measures

	5 5		
Iammable properties Not flammable by WHMIS/OSHA criteria.			
Extinguishing media			
Suitable extinguishing media	Fog. Water spray. Dry chemical. Carbon dioxide. Foam.		
Unsuitable extinguishing media	Not available		
Protection of firefighters			
Specific hazards arising from the chemical	Not available		
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.		
Hazardous combustion products	May include and are not limited to: Oxides of carbon.		
Explosion data			
Sensitivity to mechanical impact	Not available		
Sensitivity to static discharge	Not available		
	6. Accidental Release Measures		
Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.		
Environmental precautions Do not discharge into lakes, streams, ponds or public waters.			

Methods for containmentStop leak if you can do so without risk. Prevent entry into waterways, sewers, basements
or confined areas.Methods for cleaning upBefore attempting clean up, refer to hazard data given above. Small spills may be
absorbed with non-reactive absorbent and placed in suitable, covered, labelled
containers. Prevent large spills from entering sewers or waterways. Contact emergency

services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling	DANGER CORROSIVE Do not get in eyes, on skin or on clothing. Avoid breathing vapors or mists of this product. Use good industrial hygiene practices in handling this material. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling.
Storage	Keep out of the reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits		
Ingredient(s)	Exposure Limits	
Alkyl polyglycoside	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Potassium hydroxide	ACGIH-TLV	
	Ceiling: 2 mg/m3	
	OSHA-PEL	
	Not established	
Silicic acid, sodium salt	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Sodium carbonate	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Engineering controls	General ventilation normally adequate.	
Personal protective equipment		
Eye / face protection	Wear chemical goggles.	
Hand protection	Rubber gloves. Confirm with a reputable supplier first.	
Skin and body protection	As required by employer code.	
Respiratory protection	Avoid breathing mists or vapors. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.	
General hygiene considerations	Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.	

9. Physical and Chemical Properties

Appearance	Liquid
Color	Orange
Form	Liquid
Odor	Fresh.
Odor threshold	Not available
Physical state	Liquid
рН	12.9 (Concentrate
Melting point	Not available
Freezing point	32.00 °F (0 °C)
Boiling point	212.00 °F (100 °C)
Pour point	Not available
Evaporation rate	Same as water
Flash point	None to boiling
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1.13 ± 0.005

Octanol/water coefficientNot availableSolubility (H2O)CompleteVOC (Weight %)Not availableViscosityNot availablePercent volatile83

10. Stability and Reactivity

Reactivity	Reacts violently with acids. This product may react with strong oxidizing agents.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Chemical stability	Stable under recommended storage conditions.	
Conditions to avoid	Do not mix with other chemicals. Hazardous vapours may be produced when mixed with chlorinated detergents or sanitizers.	
Incompatible materials	Acids. Oxidizing agents.	
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.	

11. Toxicological Information

Component analysis - LC50			
Ingredient(s)	LC50		
Alkyl polyglycoside	Not available		
Potassium hydroxide	Not available		
Silicic acid, sodium salt	Not available		
Sodium carbonate	400 mg/m3 guinea pig		
Component analysis - Oral LD50			
Ingredient(s)	LD50		
Alkyl polyglycoside	5000 mg/kg rat		
Potassium hydroxide	214 mg/kg rat		
Silicic acid, sodium salt	1153 mg/kg rat		
Sodium carbonate	4090 mg/kg rat		
Effects of acute exposure			
Eye	Causes chemical burns. May cause blindness.		
Skin	Causes chemical burns. Harmful contact may not cause immediate pain.		
Inhalation	May cause respiratory tract irritation or chemical burns.		
Ingestion	Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.		
Sensitization	Non-hazardous by WHMIS/OSHA criteria.		
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.		
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.		
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.		
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.		
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.		
Name of Toxicologically Synergistic Products	Not available		

12. Ecological Information

	12. EU	
Ecotoxicity	Components concerns.	of this product have been identified as having potential environmental
Ecotoxicity - Freshwater Algae -	Acute Toxicity Data	a
Sodium carbonate Ecotoxicity - Freshwater Fish - A	497-19-8 cute Toxicity Data	120 Hr EC50 Nitzschia: 242 mg/L
Potassium hydroxide Silicic acid, sodium salt	1310-58-3 1344-09-8	96 Hr LC50 Gambusia affinis: 80 mg/L [static] 96 Hr LC50 Lepomis macrochirus: 301-478 mg/L; 96 Hr LC50 Brachydanio rerio: 3185 mg/L [semi-static]
Sodium carbonate	497-19-8	96 Hr LC50 Lepomis macrochirus: 300 mg/L [static]; 96 Hr LC50 Pimephales promelas: 310 - 1220 mg/L [static]
Ecotoxicity - Water Flea - Acute	Toxicity Data	
Silicic acid, sodium salt Sodium carbonate	1344-09-8 497-19-8	96 Hr EC50 Daphnia magna: 216 mg/L 48 Hr EC50 Daphnia magna: 265 mg/L
Persistence / degradability	Not available	
Bioaccumulation / accumulation	Not available	
Mobility in environmental media	Not available	
Environmental effects	Not available	
Aquatic toxicity	Not available	
Partition coefficient	Not available	
Chemical fate information	Not available	
Other adverse effects	Not available	
	13. Dis	posal Considerations
Disposal instructions	Dispose in ad	ccordance with all applicable regulations.
Waste from residues / unused products	Not available	
Contaminated packaging	Not available	
	14. Tr	ansport Information
U.S. Department of Transportation		
Basic shipping requirements		
Proper shipping name	Corrosive liq HYDROXIDE	uid, basic, inorganic, n.o.s. (POTASSIUM
Hazard class	8	
UN number	UN3266	
Packing group	II	CODDOCIVE
Additional information:		
Special provisions	B2, IB2, T11	, TP2, TP27
Packaging exceptions	<0.3 Gallons	- Limited Quantity
ERG number	154	\vee
Transportation of Dangerous Go	ods (TDG - Canac	la)
Basic shipping requirements	-	
Proper shipping name	CORROSIVE	E LIQUID, BASIC, INORGANIC, N.O.S. M HYDROXIDE)
Hazard class	8	
UN number	UN3266	
Packing group	II	
Additional information:		
Special provisions	16	
		d Quantity
Special provisions Packaging exceptions	16 <1L - Limiteo	d Quantity

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the C Products Regulations and the MSDS contains all the information required by th Controlled Products Regulations.	
Canada - WHMIS - Ingredient D	isclosure List	
Potassium hydroxide Sodium carbonate	1310-58-3 1 % 497-19-8 1 %	
WHMIS status	Controlled	
WHMIS classification	Class E - Corrosive Material	
WHMIS labeling		
Occupational Safety and Health	Administration (OSHA)	
29 CFR 1910.1200 hazardou chemical	s Yes	
US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Comr Standard, 29 CFR 1910.1200.	munication
U.S CERCLA/SARA - Hazardo	ous Substances and their Reportable Quantities	
Potassium hydroxide	1310-58-3 1000 Lb final RQ; 454 kg final RQ	
U.S CWA (Clean Water Act) -		
Potassium hydroxide	1310-58-3 Present	
CERCLA (Superfund) reportable		
Potassium hydroxide: 1000.0		
-	eauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
Section 302 extremely hazardous substance	No	
Section 311 hazardous che	nical Yes	
Clean Air Act (CAA)	Not available	
Clean Water Act (CWA)	Hazardous substance	
State regulations	This product does not contain a chemical known to the State of California to ca cancer, birth defects or other reproductive harm.	use
U.S California - 8 CCR Sectio	n 339 - Director's List of Hazardous Substances	
Potassium hydroxide U.S Louisiana - Reportable Q	1310-58-3 Present uantity List for Pollutants	
Potassium hydroxide U.S Massachusetts - Right To	1310-58-3 1000 Lb final RQ; 454 kg final RQ b Know List	
Potassium hydroxide U.S Minnesota - Hazardous S	1310-58-3 Present ubstance List	
Potassium hydroxide U.S New Jersey - Right to Kn	1310-58-3 Present ow Hazardous Substance List	
Potassium hydroxide	1310-58-3 sn 1571 Releases Part 597 - List of Hazardous Substances	
Potassium hydroxide U.S Pennsylvania - RTK (Rigi	1310-58-3 1000 Lb RQ (air); 100 lb RQ (land/water)	
Potassium hydroxide U.S Rhode Island - Hazardou	1310-58-3 Environmental hazard	
Potassium hydroxide	1310-58-3Toxic (caustic); Flammable (caustic)	

Inventory name Country(s) or region Canada Canada United States & Puerto Rico A "Yes" indicates that all compone

Inventory name

On inventory (yes/no)*

Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) Yes

No

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

