Page: 1/1

Material Safety Data Sheet Hydrochloric Acid 0.0500N



Section 1. Product and Company Identification

	1 0
Product name	: Hydrochloric Acid 0.0500N
Product code	: VW3325
Synonym	: None.
Material uses	: Industrial applications: Laboratory Reagent
Manufacturer	: EMD Chemicals Inc.
	P.O. Box 70
	480 Democrat Road
	Gibbstown, NJ 08027
	856-423-6300 Technical Service
	Monday - Friday: 8:00 - 5:00 PM
Validation date	: 2/19/2008.
Print date	:
In case of emergency	: 800-424-9300 CHEMTREC (USA)
	613-996-6666 CANUTEC (Canada)
	24 Hours/Day: 7 Days/Week

Section 2 Hazards Identification

Section 2. Hazards	s identification
Physical state	: Liquid.
Odor	: Odorless.
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview	: CAUTION!
	MAY BE HARMFUL IF SWALLOWED.
	MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
	Do not ingest. Avoid contact with skin and clothing. Avoid breathing vapor or mist. Keep container
	closed. Use only with adequate ventilation. Wash thoroughly after handling.
Routes of entry	: Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effects	
Eyes	: Moderately irritating to eyes.
Skin	: Moderately irritating to the skin.
Inhalation	: Moderately irritating to the respiratory system.
Ingestion	: Harmful if swallowed.
Carcinogenic effects	: No known significant effects or critical hazards.
Mutagenic effects	: No known significant effects or critical hazards.
Teratogenicity / Reproductive toxicity	: No known significant effects or critical hazards.
Medical conditions aggravated	: Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged
by over-exposure	exposure to the substance can produce lung damage. Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation.
See toxicological information (see	ction 11)

Section 3. Composition/Information on Ingredie	ents	
United States Name	CAS number	% by Weight
Hydrochloric Acid	7647-01-0	<1
Water	7732-18-5	>99

Section 4. First Aid Measures

Eye contact	: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention.
Skin contact	: Flush contaminated skin with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation	: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion : Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. **Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire Fighting Measures

Flammability of the product	: No specific hazard.
Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	: Not available.
Special protective equipment for	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus
fire-fighters	(SCBA) with a full face-piece operated in positive pressure mode.
Special remarks on explosion	: Can react with certain metals to release explosive hydrogen gas. Thermal decomposition may
hazards	release toxic and/or hazardous gases.
	-

Section 6. Accidental Release Measures

Personal precautions	: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up	: If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

container for disposal.	
Section 7. Handling and Storage	

Handling

: Do not ingest. Avoid contact with eyes, skin and clothing. Keep container closed. Use only wi	ith
adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling.	
: Keep container tightly closed. Keep container in a cool, well-ventilated area.	

Section 8. Exposure Controls/Personal Protection

Consult local authorities for acceptable exposure limits. **Engineering measures** No special ventilation requirements. Good general ventilation should be sufficient to control airborne levels. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. **Personal protection** : Safety eyewear complying with an approved standard should be used when a risk assessment Eyes indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: safety glasses with side-shields Personal protective equipment for the body should be selected based on the task being performed Skin and the risks involved and should be approved by a specialist before handling this product. Body: Recommended: lab coat gloves : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a Respiratory risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: disposable particulate mask Hands Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. **Hygiene measures** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 9. Physical and Chemical Properties

Physical state

Storage

: Liquid.

Color Odor pH Boiling/condensation point Melting/freezing point Evaporation rate : Clear. Colorless.

- : Odorless.
- : <2 [Acidic.]
- : The lowest known value is 99.9°C (211.8°F) (Water).
- : May start to solidify at -0.1°C (31.8°F) based on data for: Water.
- : 0.36 (Water) compared with(n-Butyl Acetate =1)

Section 10. Stability and Reactivity

Stability and reactivity
Incompatibility with various
substances
Hazardous decomposition
products
Hazardous polymerization
Conditions of reactivity

- : The product is stable.
 - : Highly reactive or incompatible with the following materials: organic materials and metals.
- : HCl gas
 - : Will not occur.

Can react with certain metals to release explosive hydrogen gas. Thermal decomposition may release toxic and/or hazardous gases.

Section 11. Toxicological Information

Toxicity data	
Chronic effects on humans	: CARCINOGENIC EFFECTS: Classified A4 (Not classifiable for humans or animals.) by ACGIH, 3 (Not classifiable for humans.) by IARC [Hydrochloric Acid].
Other toxic effects on humans	 Hazardous in case of skin contact (irritant), of eye contact (corrosive), of ingestion, of inhalation (lung irritant). Slightly hazardous in case of skin contact (corrosive), of inhalation (lung sensitizer, lung corrosive).
Specific effects	
Carcinogenic effects	: No known significant effects or critical hazards.
Mutagenic effects	: No known significant effects or critical hazards.
Teratogenicity / Reproductive toxicity	: No known significant effects or critical hazards.
Sensitization	
Ingestion	: No known significant effects or critical hazards.
Inhalation	: Moderately irritating to the respiratory system.
Eyes	: Moderately irritating to eyes.
Skin	: Moderately irritating to the skin.

Section 12. Ecological Information

Environmental precautions Toxicity of the products of biodegradation

- : No known significant effects or critical hazards.
- : The products of degradation are as toxic as the product itself.

Section 13. Disposal Considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport Information

Regulatory information UN number DOT Classification PG* : Packing group Proper shipping name Class CHEMICALS, N.O.S. -

PG* Label

Additional information

Section 15. Regulatory Information

United States	
HCS Classification	: Irritating material
U.S. Federal regulations	 TSCA 8(b) inventory: Listed SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found. Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: Hydrochloric Acid Clean Air Act (CAA) 112 accidental release prevention: Hydrochloric Acid Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
State regulations	 Pennsylvania RTK: Hydrochloric Acid : (environmental hazard, generic environmental hazard) Massachusetts RTK: Hydrochloric Acid New Jersey: Hydrochloric Acid 0.0500N
Canada	
WHMIS (Canada)	: Class D-2B: Material causing other toxic effects (Toxic).
CEPA DSL/CEPA NDSL	: CEPA DSL: Water
This product has been classifie by the CPR. EU regulations	d according to the hazard criteria of the CPR and the MSDS contains all the information required
Risk phrases International regulations	: This product is not classified according to EU legislation.
International lists	: Australia (NICNAS): Hydrochloric Acid ; Water
	China: Hydrochloric Acid
	Germany water class: Hydrochloric Acid
	Japan (METI): Hydrochloric Acid ; Water
	Korea (TCCL): Hydrochloric Acid ; Water
	Philippines (RA6969): Hydrochloric Acid ; Water

Section 16. Other Information

Label requirements		: CAUTION! MAY BE HARMFUL IF SWALLOWED. MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
National Fire Protection Association (U.S.A.)	:	0 Flammability Health 0 0 Instability Special

Notice to reader

The statements contained herein are based upon technical data that EMD Chemicals Inc. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD CHEMICALS INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.