Printing date 05.08.2015 Revision: 05.08.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Slime Super Duty Tire Sealant
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sealant
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

(North America)

ITW Global Tire Repair, Inc.

125 Venture Drive, Suite 210, San Luis Obispo, CA 93401 Tel (805) 489-0490

(Europe)

ITW Global Tire Repair, Europe GmbH Carl-Benz Str. 10, 88696 Owingen, Germany Tel 0049 7551-9200-100



Only representative of a non-Community manufacturer H2 Compliance Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland Tel +353 21 486 8122 E-Mail info@h2compliance.com

- · Further information obtainable from: Product Safety Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

Poison Control Centres:

In the United Kingdom: 844 892 0111

In Australia: 131126

In New Zealand: +0800 764 766

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the CLP regulation.

- · Additional information: 0 % of the mixture consists of component(s) of unknown toxicity.
- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Not Regulated
- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements Not Regulated
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Cont'd. on page 2)

Printing date 05.08.2015 Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

· **vPvB**: Not applicable.

(Cont'd. from page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:			
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	25-50%	
CAS: 12174-11-7 EC number: 601-805-5	Attapulgite (Palygorskite) © Carc. 2, H351	2,5-10%	
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	≤ 2,5%	
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2) © Carc. 1A, H350	≤ 2,5%	

Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Remove contact lenses if worn.
- · After swallowing:

Unlikely route of exposure.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Cont'd. on page 3)

Printing date 05.08.2015 Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 2)

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in a well ventilated area.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
56-81-5 glycerol		
	Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction	
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.	
	Long-term value: 50E mg/m³ vgl.Abschn.Xc	

(Cont'd. on page 4)

Printing date 05.08.2015 Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

	(Cont'd. from page 3)	
9004-34-6 Cellulose		
Long-term value: 15* 5** mg/m³ *total dust **respirable fraction		
Long-term value: 10* 5** mg/m³ *total dust **respirable fraction		
Long-term value: 10 mg/m³		
rtz		
see Quartz listing		
Long-term value: 0,05* mg/m³ *respirable dust; See Pocket Guide App. A		
Long-term value: 0,025* mg/m³ *as respirable fraction		
alveolengängige Fraktion		
	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction Long-term value: 10* 5** mg/m³ *total dust **respirable fraction Long-term value: 10 mg/m³ rtz see Quartz listing Long-term value: 0,05* mg/m³ *respirable dust; See Pocket Guide App. A Long-term value: 0,025* mg/m³	

- · **Additional information:** The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- Respiratory protection: Not required.
- · Protection of hands:

No chemical-protective gloves required.

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

- · Material of gloves Strong material gloves
- Eye protection: Not required.
- · Body protection: Not required.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Structurally viscous

Colour: Different according to colouring

· Odour: Mild

· Odour threshold: Not determined.

• **pH-value:** 8.8 ± 1.0

· Change in condition

Melting point/Melting range: Not Determined.

Boiling point/Boiling range: 104,4 °C · Flash point: >93,3 °C

• Flammability (solid, gaseous): Product is not flammable.

• Auto/Self-ignition temperature: 371 °C (Estimation)

(Cont'd. on page 5)

Printing date 05.08.2015 Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 4)

· Decomposition temperature: >100 °C

· **Self-igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure:
Not determined.

1,138 ± 0,05 g/cm³
Relative density
Vapour density
Vapour density
Evaporation rate
Not determined.
Not determined.

· Solubility in / Miscibility with

water: Emulsifiable.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents.

Reacts with strong acids.

- · 10.4 Conditions to avoid Store away from oxidising agents.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Possible in traces.

Carbon monoxide and carbon dioxide

Hydrocarbons Nitrogen oxides

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

Printing date 05.08.2015 Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 5)

· Serious eye damage/irritation

Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity

Based on available data, the classification criteria are not met.

· Carcinogenicity

Based on available data, the classification criteria are not met.

· Reproductive toxicity

Based on available data, the classification criteria are not met.

· STOT-single exposure

Based on available data, the classification criteria are not met.

· STOT-repeated exposure

Based on available data, the classification criteria are not met.

· Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Generally not hazardous for water

This statement was deduced from products with a similar structure or composition.

Due to the consistence of the product a disperse distribution into the environment is not possible.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Smaller quantities can be disposed of with household waste.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to local official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- DOT, ADR, IMDG, IATA

Not Regulated

Not Regulated

(Cont'd. on page 7)

Printing date 05.08.2015 Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 6)

· 14.3 Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Not Regulated

· 14.4 Packing group
· DOT, ADR, IMDG, IATA

Not Regulated

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

'UN "Model Regulation": Not Regulated

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Carcinogenic Categories

· IARC (Inter	national Agency for Research on Cancer)	
12174-11-7	Attapulgite (Palygorskite)	2B
14808-60-7	quartz	1
· TLV (Thres	hold Limit Value established by ACGIH)	
14808-60-7	quartz	A2

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I

None of the ingredients are listed.

- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H350 May cause cancer.

H351 Suspected of causing cancer.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Cont'd. on page 8)

Printing date 05.08.2015 Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 7)

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Carc. 1A: Carcinogenicity, Hazard Category 1A Carc. 2: Carcinogenicity, Hazard Category 2