

1. Product and Company Identification			
Product Name	BRASSO® Metal Polish		
UPC CODES	Refer to Section 16		
Product use	Metal Polish		
Distributed by	Reckitt Benckiser Morris Corporate Center IV 399 Interpace Parkway P.O. Box 225 Parsippany, NJ 07054-0225 In Case of Emergency: 1-800-338-6167 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887		
LEGEND HMIS/NFPA	Health * 2		
Severe 4	Flammability 2		
Serious 3			
Moderate 2	Physical Hazard 0		
Slight 1	Personal Protection B		
Minimal 0			
	2. Hazards Identification		
Emergency overview	CAUTION: EYE IRRITANT. Contains Ammonia. May be irritating to skin. Avoid contact with eyes and skin.		
	KEEP OUT OF REACH OF CHILDREN.		
Potential short term health effects			
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.		
Eyes	None expected during normal conditions of use. May cause eye irritation upon direct contact with the eyes.		
Skin	None expected during normal conditions of use. Not expected to be a skin sensitizer.		
Inhalation	None expected during normal conditions of use.		
Ingestion	Health injuries are not known or expected under normal use.		
Target organs	Blood. Eyes. Liver. Respiratory system. Skin.		
Chronic effects	The finished product is not expected to have chronic health effects.		
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.		
OSHA Regulatory Status	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
Potential environmental effects	Components of this product have been identified as having potential environmental concerns.		

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Isopropanol	67-63-0	2.5 - 10
Limestone	1317-65-3	10 - 20
Ammonium hydroxide	1336-21-6	1 - 2.5
Ethanedioic acid, dihydrate	6153-56-6	1 - 2.5
Ethanol	64-17-5	0.1 - 1

4. First Aid Measures First aid procedures In case of contact with eyes, rinse eyes IMMEDIATELY with plenty of water. If persistent Eye contact irritation occurs, seek medical advice. Skin contact In case of skin contact, wash area thoroughly with water. Move to fresh air. Obtain medical attention if irritation persists. Inhalation If swallowed, drink a glass of water or milk. Call a physician or Poison Control Center Ingestion IMMEDIATELY. Never give anything by mouth if victim is unconscious, or is convulsing. Notes to physician If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice **General advice** (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Combustible by OSHA criteria.	
Extinguishing media		
Suitable extinguishing media	Dry chemical. Carbon dioxide. Alcohol foam.	
Unsuitable extinguishing media	Not available	
Protection of firefighters		
Specific hazards arising from the chemical	Not available	
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.	
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.	
Explosion data		
Sensitivity to mechanical impact	Not available	
Sensitivity to static discharge	Not available	

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.		
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.		
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.		
Methods for cleaning up	Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.		
	7. Handling and Storage		
Handling	CAUTION CAUSES EYE IRRITATION. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.		
Storage	Keep out of reach of children. Keep from freezing. Do not store at temperatures above		

Storage

Keep out of reach of children. Keep from freezing. Do not store at temperatures above 120°F (49°C). Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits		
Ingredient(s)	Exposure Limits	
Ammonium hydroxide	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Ethanedioic acid, dihydrate	ACGIH-TLV	
	TWA: 1 mg/m3	
	STEL: 2 mg/m3	
	OSHA-PEL	
	TWA: 1 mg/m3	
Ethanol	ACGIH-TLV	
	TWA: 1000 ppm	
	STEL: 1000 ppm	
	OSHA-PEL	
	TWA: 1000 ppm	
Isopropanol	ACGIH-TLV	
	TWA: 200 ppm	
	STEL: 400 ppm	
	OSHA-PEL	
	TWA: 400 ppm	
Limestone	ACGIH-TLV	
	TWA: 5 mg/m3	
	OSHA-PEL	
	TWA: 15 mg/m3	
Engineering controls	General ventilation normally adequate.	
Personal protective equipment		
Eye / face protection	Safety glasses if eye contact is possible. Emergency responders should wear full eye and face protection.	
Hand protection	No special requirements under normal use conditions. For sensitive skin or prolonged use, wear rubber gloves. Emergency responders should wear impermeable gloves.	
Skin and body protection	Usual safety precautions while handling the product will provide adequate protection against this potential effect.	
Respiratory protection	Not normally required under normal use conditions. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.	

9. Physical and Chemical Properties

Appearance	Liquid.
Color	off-white. tan.
Form	Liquid
Odor	ammoniacal
Odor threshold	Not available
Physical state	Liquid
рН	9.6 - 10.2

Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	105 °F (40.55 °C) Tag Closed Cup
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available
Octanol/water coefficient	Not available
Solubility (H2O)	Insoluble
VOC (Weight %)	Not available
Viscosity	Viscous
Percent volatile	Not available

10. Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Avoid high temperatures. Do not mix with other chemicals.
Incompatible materials	Not for use on silver, lacquered, painted or antiqued finished surfaces.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

11. Toxicological Information

Component analysis - LC50		
Ingredient(s)	LC50	
Ammonium hydroxide	Not available	
Ethanedioic acid, dihydrate	Not available	
Ethanol	31623 ppm rat	
Isopropanol	16970 mg/l/4h rat	
Limestone	Not available	
Component analysis - Oral LD50		
Ingredient(s)	LD50	
Ammonium hydroxide	350 mg/kg rat	
Ethanedioic acid, dihydrate	375 mg/kg rat	
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat	
Isopropanol	4396 mg/kg rat	
Limestone	6450 mg/kg rat	
Effects of acute exposure		
Eye	None expected during normal conditions of use. May cause eye irritation upon direct contact with the eyes.	
Skin	None expected during normal conditions of use. Not expected to be a skin sensitizer.	
Inhalation	None expected during normal conditions of use.	
Ingestion	Health injuries are not known or expected under normal use.	
Sensitization	The finished product is not expected to have chronic health effects.	
Chronic effects	The finished product is not expected to have chronic health effects.	

Carcinogenicity	The finis	The finished product is not expected to have chronic health effects.		
ACGIH - Threshold Limit Value	s - Carcinogens	1		
Ethanol	64-17-5	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans		
Isopropanol	67-63-0	A4 - Not Classifiable as a Human Carcinogen		
IARC - Group 3 (Not Classifiab	le)			
Isopropanol	67-63-0	Monograph 71 [1999]; Supplement 7 [1987]; Monograph 15 [1977]		
U.S California - Proposition 6	5 - Carcinogens	s List		
Ethanol	64-17-5	carcinogen, initial date 5/3/11		
Mutagenicity	Mutage	The finished product is not expected to have chronic health effects. Mutagenic effects were observed in somatic and reproductive cells of live animals (rats and mice) exposed to high oral doses of ethanol.		
Reproductive effects	The finis	The finished product is not expected to have chronic health effects.		
Teratogenicity	Animal	The finished product is not expected to have chronic health effects. Animal studies demonstrate that ingestion of ethanol can cause embryotoxicity, teratogenicity and fetotoxicity in the presence of maternal toxicity.		
Name of Toxicologically Synerg Products	jistic Not ava	ilable		

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.		
Ecotoxicity - Freshwater Algae -	Acute Toxicity Dat	a	
Isopropanol	67-63-0	96 Hr EC50 Desmodesmus subspicatus: >1000 mg/L; 72 Hr EC50 Desmodesmus subspicatus: >1000 mg/L	
Ecotoxicity - Freshwater Fish - A	Acute Toxicity Data		
Ammonium hydroxide	1336-21-6	96 Hr LC50 Pimephales promelas: 8.2 mg/L	
Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through]	
Isopropanol	67-63-0	96 Hr LC50 Pimephales promelas: 9640 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 11130 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: >1400000 μg/L	
Ecotoxicity - Water Flea - Acute	Toxicity Data		
Ammonium hydroxide	1336-21-6	48 Hr EC50 water flea: 0.66 mg/L; 48 Hr EC50 Daphnia pulex: 0.66 mg/L	
Ethanol	64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]	
Isopropanol	67-63-0	48 Hr EC50 Daphnia magna: 13299 mg/L	
Persistence / degradability	Not available		
Bioaccumulation / accumulation	Not available)	
Mobility in environmental media	Not available		
Environmental effects	Not available		
Aquatic toxicity	Not available		
Partition coefficient	Not available		
Chemical fate information	Not available		

13. Disposal Considerations

Disposal instructions	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

Not Regulated by DOT (Road/Rail Only) 173.150 (f) (2)

Transportation of Dangerous Goods (TDG - Canada)

Not Regulated by TDG (Road/Rail Only), TDG Part 1.36

IMDG (Marine Transport)

UN 1987, Alcohols, N.O.S. (Isopropanol, Ethanol), Class 3, PG III, Limited Quantity, (Flashpoint 40.556°C cc)

IATA/ICAO (Air)

UN 1987, Alcohols, N.O.S. (Isopropanol, Ethanol), Class 3, PG III

15. Regulatory Information

Occupational Safety and Health Ad	ministration	(OSHA)		
29 CFR 1910.1200 hazardous chemical	Yes			
US Federal regulations		This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
		egistration: Product is compliant with CPSC regulatory guidelines; a specific is not required for this product.		
U.S CERCLA/SARA - Hazardous	Substances ar	d their Reportable Quantities		
Ammonium hydroxide 13 U.S CERCLA/SARA - Section 313	36-21-6 - Emission Re	1000 Lb final RQ; 454 kg final RQ eporting		
Isopropanol 67	'-63-0	1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)		
U.S CWA (Clean Water Act) - Haz	ardous Substa	inces		
Ammonium hydroxide 13	36-21-6	Present		
Superfund Amendments and Reaut	horization A	ct of 1986 (SARA)		
Hazard categories	Delayed H Fire Hazar Pressure H	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No		
Section 302 extremely hazardous substance	No			
Section 311 hazardous chemic	al No			
Clean Air Act (CAA)	Not availab	Not available		
Clean Water Act (CWA)	Hazardous substance			

te regulations		duct does not contain a chemical known to the pirth defects or other reproductive harm.	State of California to cause
U.S California - 8 CCR Section		s List of Hazardous Substances	
Ammonium hydroxide Isopropanol U.S California - Proposition	1336-21-6 67-63-0	Present (refers to solutions >=4%) Present	
•	64-17-5		
Ethanol U.S Louisiana - Reportable (• • • •	carcinogen, initial date 5/3/11	
Ammonium hydroxide	1336-21-6	1000 Lb final RQ; 454 kg final RQ	
U.S Massachusetts - Right T		Toto Eb marrie, for ng marrie	
Ammonium hydroxide Ethanol Isopropanol Limestone U.S Minnesota - Hazardous	1336-21-6 64-17-5 67-63-0 1317-65-3	Present Teratogen Present Present	
Ethanol Isopropanol Limestone	64-17-5 67-63-0 1317-65-3	Present Present Present (dust)	
U.S New Jersey - Right to K		ubstance List	
Ammonium hydroxide Ethanol Isopropanol Limestone	1336-21-6 64-17-5 67-63-0 1317-65-3	sn 0103 sn 0844 sn 1076 sn 4001	
		7 - List of Hazardous Substances	
Ammonium hydroxide U.S Pennsylvania - RTK (Rig	1336-21-6	1000 Lb RQ (air); 100 lb RQ (land/water)	
Ammonium hydroxide Ethanedioic acid, dihydrate Ethanol Isopropanol Limestone U.S Rhode Island - Hazardon	1336-21-6 6153-56-6 64-17-5 67-63-0 1317-65-3	Environmental hazard Present Present Environmental hazard Present	
Ethanedioic acid, dihydrate Ethanol Isopropanol Limestone	6153-56-6 64-17-5 67-63-0 1317-65-3	Flammable Toxic; Flammable Toxic; Flammable Toxic	
entory status			
Country(s) or region	Inventor	v name	On inventory (yes/no)
United States & Puerto Rico	Toxic Su	bstances Control Act (TSCA) Inventory ct comply with the inventory requirements administe	Ye

16. Other Information

Disclaimer	This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
Further information	UPC CODES: 26600-06200 (8 oz.)
	FORMULA NUMBER: 0175699
Issue date	01-Nov-2011
Effective date	15-Oct-2009
Prepared by	Reckitt Benckiser Regulatory Department 800-333-3899
Other information	For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.