



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name 0G0AA Nail Polish Remover Methyl Acetate

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Nail polish remover
Uses advised against Use only as directed.

Details of the supplier of the safety data sheet

Supplier NameVi-Jon Inc.Supplier AddressVi-Jon Inc.

8800 Page Avenue

Saint Louis

MO 63114 US

Supplier Phone Number Phone: 314-427-1000 (M-F 8am-4pm CST)

Fax:3144271010

Supplier Email info@vijon.com

Emergency telephone number Chemtrec: 1-800-424-9300 (24-Hour)



2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal word: Danger

Hazard Statements

Causes serious eye irritation May cause drowsiness or dizziness Flammable liquid and vapor





Appearance: Clear to Slightly Hazy, Physical state: Water-thin Liquid

Pink, Water-thin Liquid

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Wear eye/face protection

Precautionary Statements - Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant



Odor: Floral

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS				
Chemical Name	CAS No	Weight-%	Trade Secret	
Water	7732-18-5	10 - 50	*	
Methyl Acetate	79-20-9	10 - 50	*	
Butoxydiglycol	112-34-5	10 - 50	*	
Dimethyl Glutarate	1119-40-0	0 - 10	*	
Dimethyl Adipate	627-93-0	0 – 10	*	
Dimethyl Succinate	106-65-0	0 – 10	*	
Fragrance	Proprietary	0 – 10	*	
Benzophenone-1	131-56-6	0 – 10	*	
Etidronic Acid	2809-21-4	0 – 10	*	
Denatonium Benzoate	3734-33-6	0 – 10	*	
Sodium Acetate	127-09-3	0 – 10	*	
Gelatin	9000-70-8	0 – 10	*	
D&C Red No. 17	85-86-9	0 – 10	*	
D&C Yellow No. 11	83-08-9	0 - 10	*	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

(trained personnel should) give oxygen.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Inhalation of high vapor concentrations may cause symptoms like

Effects headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

CAUTION: All these products have a very low flash point. Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Uniform Fire Code Flammable Liquid: I-C

Irritant: Liquid

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material. Stop leak if you can do it without risk.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containmentA vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth.

sand or other non-combustible material and transfer to containers.

Methods for cleaning upUse clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for

later disposal. Soak up with inert absorbent material. Pick up and transfer to properly

labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label

instructions.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

Incompatible ProductsNone known based on information supplied.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThere is no exposure data pertaining to the Product. This section reflects exposure data pertaining to individual ingredients.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl Acetate	STEL: 250 ppm	TWA: 200 ppm	IDLH: 3100 ppm
79-20-9	TWA: 200 ppm	TWA: 610 mg/m ³	TWA: 200 ppm
		(vacated) TWA: 200 ppm	TWA: 610 mg/m ³
		(vacated) TWA: 610 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 760 mg/m ³
		(vacated) STEL: 760 mg/m ³	_
Butoxydiglycol	TWA: 10 ppm inhalable fraction	-	
112-34-5	and vapor		

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur:. Tight sealing safety goggles. None required for consumer

use.

Skin and body protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant

apron. Impervious gloves. Antistatic boots.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Water-thin Liquid

Appearance Clear to Slightly Hazy, Pink, Water-thin Odor Floral

Liquid

Color Pink Odor Threshold No information available

None known

None known

Property Values Remarks Method

Hq UNKNOWN None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point 23 C / 73.4 F None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure

No data available
No data available

Vapor density No data available None known **Specific Gravity** 1.0 None known **Water Solubility** Miscible in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

Other Information

Softening Point

VOC Content (%)

Particle Size

Particle Size Distribution

No data available

No data available

No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known.

Hazardous Decomposition Products

None known.

When used in accordance with the directions.



11. TOXICOLOGICAL INFORMATION

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

Information on likely routes of exposure

Product Information

InhalationSpecific test data for the substance or mixture is not available.Eye contactSpecific test data for the substance or mixture is not available.Skin contactSpecific test data for the substance or mixture is not available.IngestionSpecific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Methyl Acetate 79-20-9	> 5000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 16000 ppm (Rat) 4 h
Butoxydiglycol 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Dimethyl Glutarate 1119-40-0	= 8191 mg/kg (Rat)	-	> 5.6 mg/L (Rat)4 h
Dimethyl Adipate 627-93-0	= 1920 mg/kg (Rat)	-	-
Dimethyl Succinate 106-65-0	> 5000 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Etidronic Acid 2809-21-4	= 2400 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Sodium Acetate 127-09-3	-	> 10 g/kg (Rabbit)	> 30 g/m ³ (Rat) 1 h

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
D&C Red No. 17		Group 3		
85-86-9		•		

Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.

Target Organ Effects Central Nervous System (CNS). Eyes. Respiratory system. Skin.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 17,746.00 mg/kg ATEmix (dermal) 16,875.00 mg/kg (ATE) ATEmix (inhalation-vapor) 161.24 ATEmix



12. ECOLOGICAL INFORMATION

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methodsThis material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D001
California Hazardous Waste Codes 212

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Description CONSUMER COMMODITY SOLUTION, ORM-D

Emergency Response Guide 127

Number

<u>TDG</u>

<u>U</u>N-No. UN1231

Proper Shipping Name METHYL ACETATE SOLUTION

Hazard Class 3
Packing Group ||

Description UN1231, METHYL ACETATE SOLUTION, 3, II

MEX

UN-No. UN1231

Proper Shipping Name METHYL ACETATE SOLUTION

Hazard Class 3
Packing Group II

Description UN1231 METHYL ACETATE SOLUTION, 3, II

ICAO

UN-No. ID8000

Proper Shipping Name CONSUMER COMMODITY SOLUTION

Hazard Class 9

Description ID8000, CONSUMER COMMODITY SOLUTION, 9

<u>IATA</u>

UN-No. UN1231

Proper Shipping Name CONSUMER COMMODITY SOLUTION

Hazard Class 3

Description ID8000, CONSUMER COMMODITY SOLUTION, 9

IMDG/IMO

UN-No. UN1231

Proper Shipping Name METHYL ACETATE SOLUTION

Hazard Class 3 Packing Group II

EmS-No. F-E, S-D

Description UN1231, METHYL ACETATE SOLUTION, 3, II, FP 22C

RID Not regulated UN-No. UN1231

Proper Shipping Name METHYL ACETATE SOLUTION

Hazard Class 3
Packing Group || Classification code F1

Description UN1231 METHYL ACETATE SOLUTION, 3, II

ADR Not regulated UN-No. UN1231

Proper Shipping Name METHYL ACETATE SOLUTION

Hazard Class 3
Packing Group || Classification code F1

Description UN1231 METHYL ACETATE SOLUTION, 3, II

ADN Not regulated UN-No. UN1231

Proper Shipping Name METHYL ACETATE SOLUTION

Hazard Class 3
Packing Group || Classification code F1

Description UN1231 METHYL ACETATE SOLUTION, 3, II

Hazard Labels3Limited Quantity1 LVentilationVE01



15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Butoxydiglycol - 112-34-5	112-34-5	10 - 50	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65 - NONE

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Methyl Acetate 79-20-9	Х	X	X		
Butoxydiglycol 112-34-5			Х	Х	Х

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Methyl Acetate		Mexico: TWA 200 ppm
79-20-9 (10 - 50)		Mexico: TWA 610 mg/m ³
· · · ·		Mexico: STEL 250 ppm
		Mexico: STEL 760 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined



16. OTHER INFORMATION

NFPA Health Hazards 2 Flammability 3 Instability 0 Physical and

Chemical Hazards -

N/A

HMIS Health Hazards 2 Flammability 3 Physical Hazard 0 Personal Protection

Χ

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date September 28, 2015

Revision Date None
Revision Note None

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Approved and Updated by Vi-Jon, Inc.

Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

End of Safety Data Sheet

