

# **Material Safety Data Sheet**

Copyright, 2011, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

## **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT NAME:**3M™ Industrial Degreaser Ready-to-Use (Product No. 26, Twist 'n Fill(tm) System)**MANUFACTURER:**3M**DIVISION:**Building & Commercial Services Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000

#### EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

 Issue Date:
 10/27/11

 Supercedes Date:
 09/08/11

Document Group: 16-4750-2

#### Product Use:

Intended Use:

Hard Surface Cleaner

# **SECTION 2: INGREDIENTS**

Ingredient	<u>C.A.S. No.</u>	<u>% by Wt</u>
2-AMINOISOBUTANOL	124-68-5	0.1 - 1
D-LIMONENE	5989-27-5	< 0.1
2-(2-ETHYLHEXYLOXY)ETHANOL	1559-35-9	< 0.1
TRIMETHYLOCTADECYLAMMONIUM CHLORIDE	112-03-8	< 0.1
WATER	7732-18-5	> 99

# **SECTION 3: HAZARDS IDENTIFICATION**

### **3.1 EMERGENCY OVERVIEW**

Specific Physical Form: Liquid
Odor, Color, Grade: Clear, pink with mild clean and fresh fragrance.
General Physical Form: Liquid
Immediate health, physical, and environmental hazards:
3.2 POTENTIAL HEALTH EFFECTS

**Eye Contact:** Mild Eye Irritation: Signs/symptoms may include redness, pain, and tearing.

#### Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, and itching.

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

## **SECTION 4: FIRST AID MEASURES**

### 4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.
Skin Contact: Wash affected area with soap and water. If signs/symptoms develop, get medical attention.
Inhalation: Remove person to fresh air. If signs/symptoms develop, get medical attention.
If Swallowed: Do not induce vomiting unless instructed to do so by medical personnel. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get medical attention.

# **SECTION 5: FIRE FIGHTING MEASURES**

### 5.1 FLAMMABLE PROPERTIES

**Flash Point** 

No flash point

Not Applicable

**OSHA Flammability Classification:** 

### 5.2 EXTINGUISHING MEDIA

Material will not burn.

### **5.3 PROTECTION OF FIRE FIGHTERS**

Special Fire Fighting Procedures: Nonflammable.

Unusual Fire and Explosion Hazards: Not applicable. Material will not burn.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate unprotected and untrained personnel from hazard area. The spill should be cleaned up by qualified personnel. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode.

#### **6.2. Environmental precautions**

#### MATERIAL SAFETY DATA SHEET 3M<sup>TM</sup> Industrial Degreaser Ready-to-Use (Product No. 26, Twist 'n Fill(tm) System) 10/27/11

For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water. Place in a closed container approved for transportation by appropriate authorities. Dispose of collected material as soon as possible.

#### **Clean-up methods**

Observe precautions from other sections. Call 3M- HELPS line (1-800-364-3577) for more information on handling and managing the spill. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Clean up residue with water.

In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state, and federal regulations.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 HANDLING

Keep out of the reach of children. Avoid breathing of vapors, mists or spray. Avoid eye contact with vapors, mists, or spray. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. NOTE: The above precautionary information presumes that this ready-to-use product has been diluted and dispensed from a TWIST 'n FILL(TM) Chemical Dispenser.

### 7.2 STORAGE

Store under normal warehouse conditions.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 ENGINEERING CONTROLS

Use in a well-ventilated area.

### 8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

#### 8.2.1 Eye/Face Protection

Avoid eye contact with vapors, mists, or spray.

Wear Indirect Vented Goggles when eye contact is possible due to splashing, spraying, or misting of material.

#### 8.2.2 Skin Protection

Avoid prolonged or repeated skin contact. Gloves not normally required.

If prolonged or repeated skin contact is expected, select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials.

Gloves made from the following material(s) are recommended: Butyl Rubber, Neoprene, Nitrile Rubber.

#### 8.2.3 Respiratory Protection

Avoid breathing of vapors, mists or spray. Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

#### 8.2.4 Prevention of Swallowing

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

### 8.3 EXPOSURE GUIDELINES

#### MATERIAL SAFETY DATA SHEET 3M<sup>TM</sup> Industrial Degreaser Ready-to-Use (Product No. 26, Twist 'n Fill(tm) System) 10/27/11

<b>Ingredient</b>	
D-LIMONENE	

Authority Type AIHA TWA <u>Limit</u> 165.5 mg/m3 Additional Information

SOURCE OF EXPOSURE LIMIT DATA: ACGIH: American Conference of Governmental Industrial Hygienists CMRG: Chemical Manufacturer Recommended Guideline OSHA: Occupational Safety and Health Administration AIHA: American Industrial Hygiene Association Workplace Environmental Exposure Level (WEEL)

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Specific Physical Form: Odor, Color, Grade: General Physical Form:	Liquid Clear, pink with mild clean and fresh fragrance. Liquid
Flash Point	No flash point
Boiling Point	> 200 °F
Vapor Pressure	<=27 [ <i>Ref Std:</i> AIR=1]
Specific Gravity pH	Approximately 1 [ <i>Ref Std:</i> WATER=1] Approximately 11
Solubility in Water Volatile Organic Compounds Percent volatile VOC Less H2O & Exempt Solvents Viscosity	Complete < 0.1 % [ <i>Test Method:</i> calculated per CARB title 2] > 90 % Approximately < 250 g/l [ <i>Test Method:</i> calculated per CARB title 2] < 100 centipoise
Conditions to avoid Materials to avoid	None known None known

# **SECTION 10: STABILITY AND REACTIVITY**

#### Stability: Stable.

Materials and Conditions to Avoid: 10.1 Conditions to avoid None known

**10.2 Materials to avoid** None known

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition: Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

#### MATERIAL SAFETY DATA SHEET 3M<sup>TM</sup> Industrial Degreaser Ready-to-Use (Product No. 26, Twist 'n Fill(tm) System) 10/27/11

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

# **SECTION 12: ECOLOGICAL INFORMATION**

## ECOTOXICOLOGICAL INFORMATION

Not determined.

## CHEMICAL FATE INFORMATION

Not determined.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Method:** Dispose of waste product in a facility permitted to accept chemical waste. As a disposal alternative, incinerate in an industrial or commercial facility in the presence of a combustible material.

### EPA Hazardous Waste Number (RCRA): Not regulated

Since regulations vary, consult applicable regulations or authorities before disposal.

# SECTION 14:TRANSPORT INFORMATION

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: REGULATORY INFORMATION**

### **US FEDERAL REGULATIONS**

#### 311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

### STATE REGULATIONS

### **CHEMICAL INVENTORIES**

The components of this product are in compliance with the chemical notification requirements of TSCA.

All applicable chemical ingredients in this material are listed on the European Inventory of Existing Chemical Substances (EINECS), or are exempt polymers whose monomers are listed on EINECS. The components of this product are listed on the Canadian Domestic Substances List.

### INTERNATIONAL REGULATIONS

#### MATERIAL SAFETY DATA SHEET 3M™ Industrial Degreaser Ready-to-Use (Product No. 26, Twist 'n Fill(tm) System) 10/27/11

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### **SECTION 16: OTHER INFORMATION**

#### NFPA Hazard Classification

Health: 1 Flammability: 0 Reactivity: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

# HMIS Hazard Classification<br/>Health: 1Reactivity: 0Protection: X - See PPE section.

Hazardous Material Identification System (HMIS®) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint and Coatings Association (NPCA).

#### Reason for Reissue: Changed Physical Properties

**Revision Changes:** 

Section 1: Product name was modified. Section 16: NFPA hazard classification for health was modified. Section 16: HMIS hazard classification for health was modified. Section 3: Potential effects from eye contact was modified. Section 13: Waste disposal method information was modified. Page Heading: Product name was modified. Section 5: Flash point information was modified. Section 9: Flash point information was modified. Section 12: Ecotoxicological phrase was modified. Section 12: Chemical Fate phrase was modified. Section 2: Ingredient table was modified. Section 6: Environmental procedures information was modified. Section 6: Methods for cleaning up information was modified. Section 6: Personal precautions information was added. Section 3: Potential environmental effects heading was deleted. Section 3: Potential environmental effects information was deleted. DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M

MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M

#### 3M USA MSDSs are available at www.3M.com