

Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

WOODFORCE STRATEGIC CLEANER

Product Division:

Janitorial

Product Number: 5822

Spartan Chemical Company, Inc.

Product/Technical Information: 1-(800)-537-8990

1110 Spartan Drive Medical Emergency:1-(888)-314-6171 (24 hours)

Maumee OH 43537

Chemical Leak/Spil CHEMTREC 1-(800) 424-9300 (24 hours)

Emergency:

Shipping Description: Gallons & 5 Gallon Pail: ORM-D, Consumer commodity, cleaning compounds, liquid, n.o.s. Drums: Flammable liquids, n.o.s., 3, UN 1993, III, (contains isopropanol)

NFPA Ratings:		HMIS Ratings:	
Health:	2 - Moderate	Health:	2 - Moderate
Fire:	3 - Serious	Fire:	3 - Serious
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z- 1 - A		NTP, IARC	
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	or OSHA Carcinogen
Isopropyl alcohol	15-20	67-63-0	980	1225	Not Established	No
Propylene glycol monomethyl ether	5-10	107-98-2	369 (ACGIH)	553 (ACGIH)	Not Established	No

SECTION III: PHYSICAL DATA

DECTION III. I III DICAL	DIXIII		
Boiling Point:	184 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	9.0-10	Specific Gravity	0.96 (8.06 pounds per gallon)
		(H ₂ O=1):	
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	< 1.0%
Physical State:	Liquid		
Appearance & Odor: Pale green liquid with solvent odor			

▼ SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	97°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media	Alcohol resistant foam, CO2, I	Ory Chemical, Water Fog, W	ater Spray.
Special Fire Fighting Procedures	Use water spray for cooling.		
	Flammable liquid and vapor. Vapors may travel along ground and settle in low areas or be moved by ventilation and be ignited by heat, sparks, pilot lights or other flames and ignition sources. Extinguish all flames, pilot lights and other sources of ignition prior to use and until all vapors are dissipated.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	1	Inhalation, Skin Contact, Eyes, Ingestion
Effects of Overexposure- Conditions to Avoid:	Do not breathe vapors or mists swallow. Inhalation of high co headache. Ingestion may cause	s. Avoid contact with the ey ncentrations may cause dro e dizziness, drowsiness, nau t removed promptly. The in	es, skin or clothing. Do not wsiness, dizziness and sea and diarrhea. Eye contact tentional misuse by deliberately
Conditions Aggravated by Use:	Use of this product may aggraincluding asthma and dermatiti		nd respiratory disorders

Emergency & First Aid Procedures:

	Immediately flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.	
	Wash skin thoroughly with soap and water while removing contaminated clothing and shoes. Get medical attention if irritation persists. Wash clothing before re-use. Discard shoes if unable to thoroughly clean.	
	Do not induce vomiting. Give one or two glasses of water to dilute. Get medical attention immediately. Never give anything by mouth to an unconscious person.	
Inhalation:	Move person to fresh air. If irritation persists; get medical attention.	

SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong oxidizing substances.
Hazardous Decomposition Unknown Products:	Hazardous Will Not Occur Polymerization:

▼ SECTION VII: SPILL OR LEAK PROCEDURES

Material is Released or Spilled:	Eliminate sources of ignition. Small spills can be flushed with large amounts of water to a sanitary sewer. Contain large spills with sand, earth or other inert absorbent. Do not use combustible materials such as sawdust. If warranted by large spill, warn and evacuate occupants. In addition, it is recommended that local authorities be contacted to determine if there are other local reporting requirements.
II - I	Consult an expert on disposal of recovered material and ensure conformity with Federal, State and Local regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

1	If exposure limits are exceeded (see Section II) or if respiratory irritation occurs, use of a NIOSH approved respirator suitable for the conditions of use and the chemicals listed in Section II should be considered.
II I	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Chemical resistant gloves
Eye Protection(Specify Type):	Chemical goggles
Other Protective Equipment:	Not expected to be required.

SECTION IX: SPECIAL PRECAUTIONS

Storing:	Keep away from heat, sparks and flame. Do not smoke while using this product. Store in a cool, dry place. Keep container closed. Empty containers retain product residue and explosive vapors. Do not cut, weld or expose such containers to heat, flames, sparks or other sources of ignition.
Other Precautions:	Keep out of reach of children.

© SCC 11/01/2007 Name: Ronald T. Cook Title: Manager, Regulatory Affairs

WOODFORCE STRATEGIC CLEANER Effective 11/01/2007 Supercedes: 01/11/2006

Date:

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Section I

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.