

SAFETY DATA SHEET

Creation Date 27-Apr-2009

Revision Date 03-Mar-2016

Revision Number 3

1. Identification

Product Name

Cat No. : AC176840000; AC176840010; AC176840025; AC176840100; AC176840250; AC176840250; AC176845000

Synonyms

Methyl alcohol

Methanol

Recommended Use Laboratory chemicals.

Uses advised against No Information available Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410 Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 3
Acute dermal toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 3
Specific target organ toxicity (single exposure)	Category 1
Target Organs - Optic nerve.	
Specific target organ toxicity - (repeated exposure)	Category 1
Target Organs - Kidney, Liver, spleen, Blood.	

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Toxic if swallowed Toxic in contact with skin Toxic if inhaled Causes damage to organs Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

IF exposed: Call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. Cannot be made non-poisonous. WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

3. Composition / information on ingredients

Component	CAS-No	Weight %
Methyl alcohol	67-56-1	>95

4. First-aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Most important symptoms/effects	Breathing difficulties. May cause blindness: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures
Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed

Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool close containers exposed to fire with water spray.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point Method -	12 °C / 53.6 °F No information available
Autoignition Temperature Explosion Limits	455 °C / 851 °F
Upper	31.00 vol %
Lower	6.0 vol %
Sensitivity to Mechanical Impa	ct No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO) Formaldehyde

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 1	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal PrecautionsEvacuate personnel to safe areas. Keep people away from and upwind of sp personal protective equipment. Ensure adequate ventilation. Remove all sou Take precautionary measures against static discharges.Environmental PrecautionsShould not be released into the environment. See Section 12 for additional e information.		on. Remove all sources of ignition.	
Methods for Containment and Clear Up		ent material. Keep in suitable, c iition. Use spark-proof tools and	
		and storage	
Handling	Wear personal protective	equinment. Do not breathe van	ore or enrow mist. Do not get in

Wear personal protective equipment. Do not breathe vapors or spray mist. Do not get in

eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage

Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m ³ (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m ³ Skin TWA: 200 ppm TWA: 260 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Methyl alcohol	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ Skin	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 310 mg/m ³	TWA: 200 ppm STEL: 250 ppm Skin

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and chemical properties				
Physical State	Liquid			
Appearance	Colorless			
Odor	Alcohol-like			
Odor Threshold	No information available			
рН	Not applicable			
Melting Point/Range	-98 °C / -144.4 °F			
Boiling Point/Range	64.7 °C / 148.5 °F @ 760 mmHg			
Flash Point	12 °C / 53.6 °F			

5.2 (ether = 1) Not applicable 31.00 vol % 6.0 vol % 128 hPa @ 20 °C 1.11 0.791 Miscible with water No data available 455 °C / 851 °FNo information available 0.55 cP at 20 °C C H4 O 32.04 100 0.02255 N/m @ 20°C

10. Stability and reactivity
None known, based on information available
Stable under normal conditions.
Incompatible products. Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.
Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides, Strong bases, Metals, Peroxides
ts Carbon monoxide (CO), Formaldehyde
Hazardous polymerization does not occur.
None under normal processing.

Acute Toxicity

Product Information

Componer	it 📃	LD50 Oral		LD50 Dermal	LC50 Inhalation	
Methyl alcoh		Calc. ATE 60 mg/kg D50 > 1187 – 2769 mg/kg (Rat		c. ATE 60 mg/kg 7100 mg/kg(Rabbit)	Calc. ATE 0.6 mg/L (vapours) or 0.5 mg/L (mists) LC50 = 128.2 mg/L (Rat) 4 h	
Toxicologically Syn Products Delayed and immed	0	Carbon tetrachloride	om short an	d long-term exposu	'e_	
Irritation		May cause skin and eye	irritation			
Sensitization		No information available				
Carcinogenicity		The table below indicate	s whether ea	ach agency has listed	any ingredient	as a carcinogen.
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
oomponon			امد المدم	Not listed	Not listed	
Methyl alcohol	67-56-1	Not listed N	lot listed	NUL IISLEU	NUL IISLEU	Not listed
•	67-56-1	Not listed No information available		Notlisted	Not listed	Not listed

11. Toxicological information

Developmental Effects	Developmental effects have occurred in experimental animals. Component substance is listed on California Proposition 65 as a developmental hazard.
Teratogenicity	Teratogenic effects have occurred in experimental animals.
STOT - single exposure STOT - repeated exposure	Optic nerve Kidney Liver spleen Blood
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed Endocrine Disruptor Information	May cause blindness: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

reshwater Algae	Freshwater Fish	Microtox	Water Flea
Not listed		Ű	0
Persistence and Degradability Persistence is unlikely based on information available. Bioaccumulation/ Accumulation No information available.			
	Not listed Persistence i	Not listed Pimephales promelas: LC50 > 10000 mg/L 96h Persistence is unlikely based on inform	Not listedPimephales promelas: LC50EC50 = 39000 mg/L 25 min> 10000 mg/L 96hEC50 = 40000 mg/L 15 minEC50 = 43000 mg/L 5 minPersistence is unlikely based on information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Methyl alcohol	-0.74

13. Disposal considerations

Waste Disposal Methods

Should not be released into the environment.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

14. Transport information				
DOT				
UN-No	UN1230			
Proper Shipping Name	METHANOL			
Hazard Class	3			
Packing Group	ll			
TDG				
UN-No	UN1230			
Proper Shipping Name	METHANOL			
Hazard Class	3			
Subsidiary Hazard Class	6.1			
Packing Group	ll			
IATA				
UN-No	UN1230			
Proper Shipping Name	METHANOL			
Hazard Class	3			
Subsidiary Hazard Class	6.1			
Packing Group	ll			
IMDG/IMO				
UN-No	UN1230			

Proper Shipping Name	METHANOL
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	I
	15. Regulatory information

All of the components in the product are on the following Inventory lists: Complete Regulatory Information contained in following SDS's. Australia China Canada Europe TSCA Korea Philippines Japan

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Methyl alcohol	Х	Х	-	200-659-6	-		Х	Х	Х	Х	Х

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	>95	1.0

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	Х		-

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component		Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol		5000 lb	-
California Proposition 65	This product	contains the following proposition 65 ch	emicals

Component	CAS-No	California F	Prop. 65	Prop	65 NSRL	Category
Methyl alcohol	67-56-1	Developm	nental		-	Developmental
J.S. State Right-to-Knov	V					
Regulations						
Component	Massachusetts	New Jersey	Pennsy	/Ivania	Illinois	Rhode Island
Methyl alcohol	X	Y		(X	Y

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

B2 Flammable liquid D1A Very toxic materials D2A Very toxic materials

Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com



16. Other information

Prepared By

Creation Date Revision Date Print Date Revision Summary 27-Apr-2009 03-Mar-2016 03-Mar-2016 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS